

Your Child at 2 Years



Child's Name _____

Child's Age _____

Today's Date _____

How your child plays, learns, speaks, acts, and moves offers important clues about your child's development. Developmental milestones are things most children can do by a certain age.

Check the milestones your child has reached by his or her 2nd birthday. Take this with you and talk with your child's doctor at every visit about the milestones your child has reached and what to expect next.

What Most Children Do at this Age:

Social/Emotional

- Copies others, especially adults and older children
- Gets excited when with other children
- Shows more and more independence
- Shows defiant behavior (doing what he has been told not to)
- Plays mainly beside other children, but is beginning to include other children, such as in chase games

Language/Communication

- Points to things or pictures when they are named
- Knows names of familiar people and body parts
- Says sentences with 2 to 4 words
- Follows simple instructions
- Repeats words overheard in conversation
- Points to things in a book

Cognitive (learning, thinking, problem-solving)

- Finds things even when hidden under two or three covers
- Begins to sort shapes and colors
- Completes sentences and rhymes in familiar books
- Plays simple make-believe games
- Builds towers of 4 or more blocks
- Might use one hand more than the other
- Follows two-step instructions such as "Pick up your shoes and put them in the closet."
- Names items in a picture book such as a cat, bird, or dog

Movement/Physical Development

- Stands on tiptoe
- Kicks a ball
- Begins to run

- Climbs onto and down from furniture without help
- Walks up and down stairs holding on
- Throws ball overhand
- Makes or copies straight lines and circles

Act Early by Talking to Your Child's Doctor if Your Child:

- Doesn't use 2-word phrases (for example, "drink milk")
- Doesn't know what to do with common things, like a brush, phone, fork, spoon
- Doesn't copy actions and words
- Doesn't follow simple instructions
- Doesn't walk steadily
- Loses skills she once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay for this age, and talk with someone in your community who is familiar with services for young children in your area, such as your state's public early intervention program. For more information, go to www.cdc.gov/concerned or call 1-800-CDC-INFO (1-800-232-4636).

The American Academy of Pediatrics recommends that children be screened for general development and autism at the 24-month visit. Ask your child's doctor about your child's developmental screening.

Adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics. This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Help Your Child Learn and Grow



You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 2-year-old child today.

What You Can Do for Your 2-Year-Old:

- Encourage your child to help with simple chores at home, like sweeping and making dinner. Praise your child for being a good helper.
- At this age, children still play next to (not with) each other and don't share well. For play dates, give the children lots of toys to play with. Watch the children closely and step in if they fight or argue.
- Give your child attention and praise when he follows instructions. Limit attention for defiant behavior. Spend a lot more time praising good behaviors than punishing bad ones.
- Teach your child to identify and say body parts, animals, and other common things.
- Do not correct your child when he says words incorrectly. Rather, say it correctly. For example, "That is a ball."
- Encourage your child to say a word instead of pointing. If your child can't say the whole word ("milk"), give her the first sound ("m") to help. Over time, you can prompt your child to say the whole sentence — "I want milk."
- Hide your child's toys around the room and let him find them.
- Help your child do puzzles with shapes, colors, or farm animals. Name each piece when your child puts it in place.
- Encourage your child to play with blocks. Take turns building towers and knocking them down.
- Do art projects with your child using crayons, paint, and paper. Describe what your child makes and hang it on the wall or refrigerator.
- Ask your child to help you open doors and drawers and turn pages in a book or magazine.
- Once your child walks well, ask her to carry small things for you.
- Kick a ball back and forth with your child. When your child is good at that, encourage him to run and kick.
- Take your child to the park to run and climb on equipment or walk on nature trails. Watch your child closely.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Your Child at 3 Years



Child's Name _____

Child's Age _____

Today's Date _____

How your child plays, learns, speaks, acts, and moves offers important clues about your child's development. Developmental milestones are things most children can do by a certain age.

Check the milestones your child has reached by his or her 3rd birthday. Take this with you and talk with your child's doctor at every visit about the milestones your child has reached and what to expect next.

What Most Children Do at this Age:

Social/Emotional

- Copies adults and friends
- Shows affection for friends without prompting
- Takes turns in games
- Shows concern for a crying friend
- Understands the idea of "mine" and "his" or "hers"
- Shows a wide range of emotions
- Separates easily from mom and dad
- May get upset with major changes in routine
- Dresses and undresses self

Language/Communication

- Follows instructions with 2 or 3 steps
- Can name most familiar things
- Understands words like "in," "on," and "under"
- Says first name, age, and sex
- Names a friend
- Says words like "I," "me," "we," and "you" and some plurals (cars, dogs, cats)
- Talks well enough for strangers to understand most of the time
- Carries on a conversation using 2 to 3 sentences

Cognitive (learning, thinking, problem-solving)

- Can work toys with buttons, levers, and moving parts
- Plays make-believe with dolls, animals, and people
- Does puzzles with 3 or 4 pieces
- Understands what "two" means
- Copies a circle with pencil or crayon
- Turns book pages one at a time
- Builds towers of more than 6 blocks
- Screws and unscrews jar lids or turns door handle

Movement/Physical Development

- Climbs well
- Runs easily
- Pedals a tricycle (3-wheel bike)
- Walks up and down stairs, one foot on each step

Act Early by Talking to Your Child's Doctor if Your Child:

- Falls down a lot or has trouble with stairs
- Drools or has very unclear speech
- Can't work simple toys (such as peg boards, simple puzzles, turning handle)
- Doesn't speak in sentences
- Doesn't understand simple instructions
- Doesn't play pretend or make-believe
- Doesn't want to play with other children or with toys
- Doesn't make eye contact
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay for this age, and talk with someone in your community who is familiar with services for young children in your area, such as your local public school. For more information, go to www.cdc.gov/concerned or call 1-800-CDC-INFO (1-800-232-4636).

Adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics. This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Help Your Child Learn and Grow



You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 3-year-old child today.

What You Can Do for Your 3-Year-Old:

- Go to play groups with your child or other places where there are other children, to encourage getting along with others.
- Work with your child to solve the problem when he is upset.
- Talk about your child's emotions. For example, say, "I can tell you feel mad because you threw the puzzle piece." Encourage your child to identify feelings in books.
- Set rules and limits for your child, and stick to them. If your child breaks a rule, give him a time out for 30 seconds to 1 minute in a chair or in his room. Praise your child for following the rules.
- Give your child instructions with 2 or 3 steps. For example, "Go to your room and get your shoes and coat."
- Read to your child every day. Ask your child to point to things in the pictures and repeat words after you.
- Give your child an "activity box" with paper, crayons, and coloring books. Color and draw lines and shapes with your child.
- Play matching games. Ask your child to find objects in books or around the house that are the same.
- Play counting games. Count body parts, stairs, and other things you use or see every day.
- Hold your child's hand going up and down stairs. When she can go up and down easily, encourage her to use the railing.
- Play outside with your child. Go to the park or hiking trail. Allow your child to play freely and without structured activities.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Your Child at 4 Years



Child's Name _____

Child's Age _____

Today's Date _____

How your child plays, learns, speaks, acts, and moves offers important clues about your child's development. Developmental milestones are things most children can do by a certain age.

Check the milestones your child has reached by his or her 4th birthday. Take this with you and talk with your child's doctor at every visit about the milestones your child has reached and what to expect next.

What Most Children Do at this Age:

Social/Emotional

- Enjoys doing new things
- Plays "Mom" and "Dad"
- Is more and more creative with make-believe play
- Would rather play with other children than by himself
- Cooperates with other children
- Often can't tell what's real and what's make-believe
- Talks about what she likes and what she is interested in

Language/Communication

- Knows some basic rules of grammar, such as correctly using "he" and "she"
- Sings a song or says a poem from memory such as the "Itsy Bitsy Spider" or the "Wheels on the Bus"
- Tells stories
- Can say first and last name

Cognitive (learning, thinking, problem-solving)

- Names some colors and some numbers
- Understands the idea of counting
- Starts to understand time
- Remembers parts of a story
- Understands the idea of "same" and "different"
- Draws a person with 2 to 4 body parts
- Uses scissors
- Starts to copy some capital letters
- Plays board or card games
- Tells you what he thinks is going to happen next in a book

Movement/Physical Development

- Hops and stands on one foot up to 2 seconds
- Catches a bounced ball most of the time
- Pours, cuts with supervision, and mashes own food

Act Early by Talking to Your Child's Doctor if Your Child:

- Can't jump in place
- Has trouble scribbling
- Shows no interest in interactive games or make-believe
- Ignores other children or doesn't respond to people outside the family
- Resists dressing, sleeping, and using the toilet
- Can't retell a favorite story
- Doesn't follow 3-part commands
- Doesn't understand "same" and "different"
- Doesn't use "me" and "you" correctly
- Speaks unclearly
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay for this age, and talk with someone in your community who is familiar with services for young children in your area, such as your local public school. For more information, go to www.cdc.gov/concerned or call 1-800-CDC-INFO (1-800-232-4636).

Adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics. This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Help Your Child Learn and Grow



You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 4-year-old child today.

What You Can Do for Your 4-Year-Old:

- Play make-believe with your child. Let her be the leader and copy what she is doing.
- Suggest your child pretend play an upcoming event that might make him nervous, like going to preschool or staying overnight at a grandparent's house.
- Give your child simple choices whenever you can. Let your child choose what to wear, play, or eat for a snack. Limit choices to 2 or 3.
- During play dates, let your child solve her own problems with friends, but be nearby to help out if needed.
- Encourage your child to use words, share toys, and take turns playing games of one another's choice.
- Give your child toys to build imagination, like dress-up clothes, kitchen sets, and blocks.
- Use good grammar when speaking to your child. Instead of "Mommy wants you to come here," say, "I want you to come here."
- Use words like "first," "second," and "finally" when talking about everyday activities. This will help your child learn about sequence of events.
- Take time to answer your child's "why" questions. If you don't know the answer, say "I don't know," or help your child find the answer in a book, on the Internet, or from another adult.
- When you read with your child, ask him to tell you what happened in the story as you go.
- Say colors in books, pictures, and things at home. Count common items, like the number of snack crackers, stairs, or toy trains.
- Teach your child to play outdoor games like tag, follow the leader, and duck, duck, goose.
- Play your child's favorite music and dance with your child. Take turns copying each other's moves.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Your Child at 5 Years



Child's Name _____

Child's Age _____

Today's Date _____

How your child plays, learns, speaks, acts, and moves offers important clues about your child's development. Developmental milestones are things most children can do by a certain age.

Check the milestones your child has reached by his or her 5th birthday. Take this with you and talk with your child's doctor at every visit about the milestones your child has reached and what to expect next.

What Most Children Do at this Age:

Social/Emotional

- Wants to please friends
- Wants to be like friends
- More likely to agree with rules
- Likes to sing, dance, and act
- Is aware of gender
- Can tell what's real and what's make-believe
- Shows more independence (for example, may visit a next-door neighbor by himself [adult supervision is still needed])
- Is sometimes demanding and sometimes very cooperative

Language/Communication

- Speaks very clearly
- Tells a simple story using full sentences
- Uses future tense; for example, "Grandma will be here."
- Says name and address

Cognitive (learning, thinking, problem-solving)

- Counts 10 or more things
- Can draw a person with at least 6 body parts
- Can print some letters or numbers
- Copies a triangle and other geometric shapes
- Knows about things used every day, like money and food

Movement/Physical Development

- Stands on one foot for 10 seconds or longer
- Hops; may be able to skip
- Can do a somersault
- Uses a fork and spoon and sometimes a table knife
- Can use the toilet on her own
- Swings and climbs

Act Early by Talking to Your Child's Doctor if Your Child:

- Doesn't show a wide range of emotions
- Shows extreme behavior (unusually fearful, aggressive, shy or sad)
- Unusually withdrawn and not active
- Is easily distracted, has trouble focusing on one activity for more than 5 minutes
- Doesn't respond to people, or responds only superficially
- Can't tell what's real and what's make-believe
- Doesn't play a variety of games and activities
- Can't give first and last name
- Doesn't use plurals or past tense properly
- Doesn't talk about daily activities or experiences
- Doesn't draw pictures
- Can't brush teeth, wash and dry hands, or get undressed without help
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay for this age, and talk with someone in your community who is familiar with services for young children in your area, such as your local public school. For more information, go to www.cdc.gov/concerned or call 1-800-CDC-INFO (1-800-232-4636).

Adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics. This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.

Help Your Child Learn and Grow



You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 5-year-old child today.

What You Can Do for Your 5-Year-Old:

- Continue to arrange play dates, trips to the park, or play groups. Give your child more freedom to choose activities to play with friends, and let your child work out problems on her own.
- Your child might start to talk back or use profanity (swear words) as a way to feel independent. Do not give a lot of attention to this talk, other than a brief time out. Instead, praise your child when he asks for things nicely and calmly takes “no” for an answer.
- This is a good time to talk to your child about safe touch. No one should touch “private parts” except doctors or nurses during an exam or parents when they are trying to keep the child clean.
- Teach your child her address and phone number.
- When reading to your child, ask him to predict what will happen next in the story.
- Encourage your child to “read” by looking at the pictures and telling the story.
- Teach your child time concepts like morning, afternoon, evening, today, tomorrow, and yesterday. Start teaching the days of the week.
- Explore your child’s interests in your community. For example, if your child loves animals, visit the zoo or petting farm. Go to the library or look on the Internet to learn about these topics.
- Keep a handy box of crayons, paper, paint, child scissors, and paste. Encourage your child to draw and make art projects with different supplies.
- Play with toys that encourage your child to put things together.
- Teach your child how to pump her legs back and forth on a swing.
- Help your child climb on the monkey bars.
- Go on walks with your child, do a scavenger hunt in your neighborhood or park, help him ride a bike with training wheels (wearing a helmet).

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.