



Illness and Injury Prevention Plan

2024-2025



Injury & Illness Prevention Plan Table of Contents
Program Elements: 8 CCR § 3203

- I. Policy Statement.....Page 3**
- II. Responsibilities..... Page 4-5**
- III. Program Compliance Requirements.... Page 6**
- IV. Communication.....Page 6-7**
- V. Hazard Assessment Page 7-8**
- VI. Accident/Exposure Investigation.... Page 9**
- VII. Hazard Correction.... Page 9-10**
- VIII. Training And Instruction.... Page 10-11**
- IX. Recordkeeping.....Page 11-12**
- X. Acknowledgement.... Page 13-17**
- XI. Employee Accident Investigation Form...Page 18**
- XII. Hazard Correction Report Form...Page 19**
- XIII. Hazard Assessment Checklist/Cal Osha.....Page 20-38**



West Contra Costa Unified School District Safety Quote:
"For safety is not a gadget but a state of mind." - Eleanor
Everett.



INJURY AND ILLNESS PREVENTION

BACKGROUND:

In California every employer has a legal obligation to provide and maintain a safe and healthful workplace for employees, according to the California Occupational Safety and Health Act of 1973. As of 1991, a written, effective Injury and Illness Prevention Program (IIPP) is required for every California employer.

1.) POLICY STATEMENT:

West Contra Costa Unified School District is committed to provide safety and health of all employees and recognizes the need to comply with regulations governing injury and accident prevention and employee safety. In keeping with this commitment, the district has adopted and implemented this Injury and Illness Prevention Program (IIPP).

The West Contra Costa Unified School District Injury and Illness Prevention Program only the Superintendent or the appointing authority may amend this IIPP. Each West Contra Costa Unified District school/district office shall develop safety policies specific to their procedures and operation to comply with the requirements of § 3203, California Code of Regulations, and Title 8. This IIPP does not supersede any law, legal requirement, regulation, or West Contra Costa Unified School District policy.

SCOPE:

The elements in this IIPP are intended to comply with the Injury and Illness Prevention Program (IIPP) established in accordance with the requirements of the California Labor Code Section 6401.7 (SB 198) and the Injury and Illness Prevention Standard, California General Industry Safety Order Code of Regulations, Title 8, §3203 which requires each employer to:

- A.) Establish and maintain a written effective IIPP.
- B.) Provide a safe and healthy working environment for all employees.
- C.) Reduce the human and financial losses resulting from injuries and illnesses arising out of or occurring in the course of employment.
- D.) Establish safety policies, committees, training and communication processes which will contribute to and be part of IIPP.
- E.) Establish on-going IIPP's for all sites and departments.



West Contra Costa Unified School District General Information:

The West Contra Costa Unified School District is comprised of (58) schools and offices with approximately 4,000 employees. The schools and offices are at strategic points throughout Contra Costa County.

2.) RESPONSIBILITIES:

Superintendent:

Responsible for the safety program design and implementation, the safety of all employees, managing school Principals, assistant principals, and managers accountable for Supervisory and lead personnel's day to day safety and incident investigations.

Human Resources Department, Maintenance and Operations Department and Risk Manager:

Responsible for coordinating the implementation of the IIPP elements throughout the district, for monitoring compliance with IIPP elements, and for recommending IIPP revisions to ensure program effectiveness.

Employee Health, Safety, and Training Manager:

Responsible for conducting an annual evaluation of the IIPP to ensure program effectiveness in reducing/preventing employee injuries and illnesses.

Administrators, Directors, Managers, Principals, and Supervisors Responsibilities:

Administrators, Directors, Managers, Principals, and Supervisory staff, are fully responsible and accountable to the Superintendent for compliance with the provision of the programs within their area of responsibility. Their duties include but are not limited to:

- A.) Promoting a safety-first mentality by setting a good example.
- B.) Providing job-specific and general safety and hazard training to employees, including safety orientation.
- C.) Providing safe and healthful working conditions for all employees.
- D.) Conducting periodic site inspections and taking immediate action in rectifying dangerous work conditions, work procedures, and/or attitudes that adversely affect the health and safety of all employees.



E.) Investigating industrial accidents, injuries, illnesses and/or near miss incidents and determining the cause of the incident and the corrective actions needed to prevent its recurrence.

F.) Communicating with employees on occupational health and safety issues.

2.3.7 Recommend discipline for employees who do not comply with safety and health rules, procedures and policies.

G.) Encourage employees to report unsafe conditions to the Program Administrator and to submit practical suggestions for correction.

H.) Have full knowledge and understanding of the District's UPP.

I.) Ensure all injuries, no matter how minor, are treated immediately, appropriate documentation completed, and referred to work comp coordinator & Business Services to ensure prompt reporting to the insurance carrier.

Employees:

As a condition of employment, employees must exercise due care in the course of their work to prevent injuries to themselves and to their fellow workers and actively contribute to the success of the overall safety program. At minimum, employees must:

A.) Comply with all School District and departmental safety policies and procedures.

B.) Notify their supervisor if they do not fully understand District and/or departmental safety policies and procedures and/or the hazards associated with their job.

C.) Report all dangerous work conditions and/or defective tools, equipment and safety devices to their supervisor immediately.

D.) Report all accidents, near misses and injuries to their supervisor immediately.

E.) Keep work areas clean and orderly at all times.

F.) Avoid disorderly conduct such as horseplay, fighting and practical jokes.

G.) Wear required protective safety equipment and clothing as required by departmental safety rules and procedures or as directed by their supervisor.

H.) Attend safety training sessions.

3.) Program Compliance Requirements:

General Policy:

All employees, including managers and supervisors, are responsible for complying with safe and healthful work practices. (Refer: CCR Title 8, Section 3203) Our system of ensuring that all employees comply with these practices includes the following examples of methods used to assure an effective program:



WEST CONTRA COSTA UNIFIED SCHOOL DISTRICT

1.) School Principals to become aware of the provisions of the IIPP. Implement a program of reinforcement and acknowledgment for employees displaying positive and highly active safety awareness.

2.) Managers and supervisors are expected to become aware of the provision of the IIPP:

A.) Evaluate employee's safety performance.

B.) Provide training to all employees on the provisions of the IIPP.

C.) Implement methods geared toward promoting positive acknowledgment of safe behaviors.

D.) Enforce safety policies and procedures fairly and uniformly.

3.) Employees who fail to follow safe work practices or procedures or who violate any West Contra Costa Unified School District safety rules or directives may be subject to disciplinary action up to and including immediate termination. Disciplinary measures may also be progressive, depending upon the infraction's severity and frequency (s).

4.) The above-referenced system of progressive discipline applies to all employees who violate safety rules and regulations. Disciplinary actions are conducted in accordance with applicable West Contra Costa Unified School District personnel policies and procedures and applicable MOU's.

4.) Communication:

The West Contra Costa Unified School District established programs for providing employees with readily understandable occupational safety and health information and provides several methods to encourage open, two-way communication between management and staff on health and safety issues. These methods may include but are not limited to:

A.) A new employee orientation to review safety and health policy and procedures.

B.) Review IIPP periodically.

C.) Training program to comply with specific Cal-OSHA regulations and safety policies.

D.) Safety Committee meetings.

E.) Staff meetings.

F.) Newsletter.

G.) Periodic posting and distribution of safety bulletins, updates, hazard alerts, notifications, or similar safety announcements.

H.) Safety suggestions for improvement and recommendations.



- I.) Workplace hazards or unsafe conditions can be reported anonymously by any employee to the District's Employee Health, Safety and Training Manager or to an employee's immediate supervisor.

Employee Protection:

J.) Employees who report possible violations of occupational and safety standards may not be discharged from filing such a report or for participating in an Occupational Health and Safety Committee. Furthermore, an employee may not be fired for refusing to work in violation of health and safety standards. An employee who believes that he or she has been discharged or otherwise discriminated against may file a complaint with the Labor Commission within 30 days of the alleged unlawful discharge.

5.) HAZARD ASSESSMENT:

Purpose of Inspections:

Site inspections are a tool for locating and reporting unsafe conditions and activities which have the potential to cause injuries, accidents and/or property damage. The IIPP regulation requires the employer to provide a system for identifying, evaluating, and correcting unsafe or unhealthy conditions and work practices in a timely manner. Compliance may be performed by conducting documented, scheduled, periodic inspections to identify unsafe conditions and work practices, including investigation of injuries and illnesses.

Types and Frequency of Inspections:

Continuous or daily site inspections should be conducted by supervisors and employees as part of their ordinary work or job responsibilities. This type of inspection activity and safety consciousness is a major contributor to workplace safety. All dangerous work conditions and/or defective tools, equipment and safety devices should be reported to the supervisor immediately. Regularly scheduled planned inspections will be made by the District's Employee Health and Safety Manager, Director Maintenance, Operations and Facilities, and site personnel utilizing the district's self-inspection guidelines.

The following review process will be followed:

- A.) A formal documented inspection of all District sites will be conducted at least annually by the district;



- B.) More frequent inspections and investigations may take place as a result of frequent patterns of injuries and illnesses and/or an employee complaint and/or written report of unsafe condition or hazard;
- C.) The report will be reviewed by District administration and site administration, and action will be taken to eliminate potential hazards;
- D.) The inspection report will be reviewed by the Director of Maintenance, Operations and Facilities. Assignments, target dates and recommendations will be established by the Director of Maintenance, Operations and Facilities on priority basis.
- E.) **Unscheduled Inspections:** In addition to scheduled inspections and ongoing review, unscheduled, surprise inspections will also be conducted.

Hazard Control:

The most effective methods of accident prevention are the systematic elimination or control of hazards. The following basis hazard control methods shall be followed:

- A.) Machine guards and warning devices shall meet state and federal standards. Safety of operations is to be given consideration to design, modification and purchasing of equipment. Inspections will be made by supervisors to assure that guards are not removed and are in use at all times.
- B.) Appropriate personal protective equipment is to be provided by the district and its uses is to be strictly enforced. Initial and periodic training in the care and use of safety glasses, respirators, hearing protection, hard hats, etc. is to be provided.
- C.) Preventive maintenance on machinery and equipment is to be performed as recommended by manufacture. Department heads or site administrator responsible of for inspections and repairs shall keep records; recommendations will be acted upon promptly.
- D.) Housekeeping is to be emphasized; aisles and storage areas are to be marked and space is to be assigned for tools and equipment. Employees will have cleanup responsibility in their own areas in addition to the regular custodial work.



E.) Proper material-handling techniques are to be emphasized and mechanical equipment for moving materials will be provided as required.

F.) Fire Department personnel and other agencies may periodically inspect District sites for fire hazards. The Director of Maintenance, Operations and Facilities and Employee Health and Safety Manager will regularly inspect for safety hazards to assure continuing compliance with federal and state laws.

6.) ACCIDENT/EXPOSURE INVESTIGATION:

West Contra Costa Unified School District has established processes and procedures for the investigation of workplace accidents, illnesses, near-accidents and for the investigation of potentially hazardous exposures or incidents. These processes and procedures include the following:

A.) Review of the injury report by the District's Employee Health, Safety, and Training Coordinator.

B.) Interviewing the injured worker and witnesses, as indicated, by Principals, Site Coordinators, Managers, and Supervisors and send recorded findings to Human Resources.

Further, they will:

1.) Conduct an examination of workplace conditions that may have been involved in an accident, exposure, near-accident or incident as soon as possible.

2.) Determine the cause of the accident, exposure, near-accident or incident.

3.) Establish timely corrective actions to prevent this type of accident, exposure, near accident or incident from reoccurring. This will be evidenced by work orders, corrective activity, and will be monitored through follow up site visits.

4.) Record findings and corrective activity taken on the Employee Accident Investigation Form (for Supervisors).

C.) Human Resources will maintain records of the investigation findings and corrective actions taken.

7.) HAZARD CORRECTION:

The district has established procedures to ensure that all unsafe or unhealthy work conditions, practices and procedures are corrected in a timely manner based on the severity of the hazards. Hazards shall be corrected according to the following procedure:



- A.) When the hazard is first observed or discovered. The priority of the corrective action must be based on the severity of the hazard.
- B.) If a severe or imminent hazardous condition exists and cannot be immediately abated, administrative corrective actions must be taken to remove employee from the area or from performing specific tasks.
- C.) Employees assigned to correct a hazard must be provided with appropriate personal protective equipment to ensure proper protection.
- D.) All actions taken and dates of completion shall be documented on a Hazard and Correction Form (attached).

8.) TRAINING AND INSTRUCTION:

All District employees shall receive general and job-specific safety and health training and instruction. Training and instruction are to be provided:

- A.) For all new employees - orientation on the IIPP and information on general safety and health policies, programs and procedures that are common and applicable to all District employees.
- B.) For employees with job-specific hazards and exposures.
- C.) For all employees with new job assignments for which training has not been previously provided.
- D.) Whenever new substances, processes, procedures or equipment are introduced into the workplace that may present a new hazard.
- E.) Whenever the District is made aware of a new or previously unrecognized hazard.
- F.) Whenever the employer observed or is made aware of unsafe practices performed by employees.
- G.) To supervisors with employees under their immediate direction who may be exposed to hazards.

General Safety and Health Training and Information (including but not limited to): WEST CONTRA COSTA UNIFIED SCHOOL DISTRICT IIPP:

- A.) Information on the elements of the District's IIPP
- B.) Basic Safety Rules for employees.
- C.) Hazards Communication (general information) • Information of Right-to-Know Laws.
 - Hazard Recognition/Routes of Entry.
 - Personal Protective Equipment.
 - Safety Data Sheets.
 - Labeling, Handling, Storage and Disposal.



- Emergency Procedures/Spills.
- D.) Reporting Workplace injuries and illnesses.
- E.) Safety Committee - Purpose and Responsibilities.
- F.) Communicable and Infectious Diseases/Universal Precautions.
- G.) Fire and Life Safety Requirements.
- H.) Asbestos Awareness.

Job-Specific Safety and Health Training and Information (including but not limited to):

Training must be relevant to the employee's job duties, assignments and related hazard and may include one or more of the following subjects:

- A.) Asbestos Awareness (AHERA requirements).
- B.) Bloodborne Pathogens (for designated employee classifications based on job duties with reasonably anticipated exposures to blood and body fluids).
- C.) Driver's Safety.
- D.) Emergency Action Plan.
- E.) Ergonomics/Back Injury Prevention.
- F.) Equipment Safeguarding.
- G.) Fall Protection.
- H.) Forklift Operation.
- I.) Hazards Communication - Job Specific Information.
- J.) Ladder Safety.
- K.) Lockout/Tagout Procedures.
- L.) Proper Housekeeping.
- M.) Proper Lifting Techniques.
- N.) Respiratory Protection.
- O.) Personal Protective Equipment (PPE).
- P.) Violence in the Workplace.

9.) RECORDKEEPING:

The district has established procedures and forms for documenting IIPP compliance actions, for maintaining records of communications and training, for documenting hazard assessments and accident investigations, and for the documentation of inspection findings and corrective actions.



WEST CONTRA COSTA UNIFIED SCHOOL DISTRICT IIPP

Records of scheduled and periodic inspections and investigations of employee injuries and illnesses along with the corrective actions taken are recorded on the Hazard Assessment Checklist (attached), the Identified Hazards and Correction Record (attached), and the Employee Accident Investigation Form (for Supervisors). This documentation is maintained for at least one (1) year.

Documentation of safety and health training records (including the employee's name, training dates, type(s) of training, and training providers) for each employee are maintained for the term of employment of employees who work for the district.

BASIC SAFETY RULES FOR ALL EMPLOYEES:

- A.) Report all on-the-job injuries or illnesses to your supervisor, no matter how small.
- B.) Report any hazardous or unsafe conditions you observe to your supervisor.
- C.) Caution or warn your fellow employees when you observe them performing tasks that may expose them or others to the imminent danger of injury or illness.
- D.) Observe all warning signs, tags and labels.
- E.) Follow all safe job procedures and practices including the wearing of required personal protective equipment.
- F.) Do not operate any equipment unless you have received the proper training, instruction and authorization.
- G.) Never remove equipment safeguarding or render it inoperative except for the purpose of adjustment, lubrication, or repair and only after following the applicable lockout/tagout procedures.
- H.) Report any defective equipment safeguarding to your supervisor.
- I.) Do not use defective tools or substitute tools not specifically designed for the job at hand.
- J.) Horse-play is not permitted at any time.



WEST CONTRA COSTA UNIFIED SCHOOL DISTRICT

Illness & Injury Prevention Plan In-Depth Acknowledgement:

SAFETY RULES & PROCEDURES:

1.: General Safety Rules:

WCCUSD for the protection and safety of all employees, the district has established the following rules designed to prevent accidents and injuries. Compliance with these rules is mandatory. Documentation will be made when the rules are distributed to new employees.

1.1.1: All accidents and injuries shall be reported to the supervisor at the time of their occurrence

1.1.2: Machines or equipment shall not be operated until proper instructions on its operation have been received.

1.1.3: Horseplay Throwing things, running in aisles and stairways, distracting other employees at work and unnecessary shouting are forbidden.

1.1.4: All spilled oil, grease, water and other liquids shall be cleaned up immediately.

1.1.5: Any defective tool or equipment shall be immediately reported to supervision.

1.1.6: Failure by an employee to comply with the safety rules is grounds for corrective discipline or termination.

1.1.7: Personal protection equipment shall be worn when and where required.

1.1.8: Lifting is to be done only in the approved safe manner.

1.1.9: All work areas are to be kept in a clean and orderly condition.

1.2: Occupational Health.

WCCUSD Employee health is of primary concern to the district. The following areas are of specific concern to the district:

1.2.1: Areas which are hazardous because of toxic fumes, smoke and/or dust are to be identified. It is the designated person's responsibility to work with the Director of Maintenance, Operations and Facilities to see that proper ventilation and safety equipment is installed as required.

1.2.2: Noise safety will apply for all high-noise level operations. Engineered noise controls will be implemented or protective equipment will be provide as required. Audiometric tests may be required for new-hires and periodic retesting may be done for those employees working in high-noise level areas.

1.2.3: Hazardous materials are to be identified to establish the safe handling, storage and use of them. Care is to be taken to label all containers in accordance with federal, state and local standards.



1.3: Public Protection

WCCUSD Protection of the public while visiting or working on a District property is a major District responsibility. The following procedures and safeguards have been established.

1.3.1: Members of the public (i.e., visitors, contractors, and repair people) are to check in at each site. Personal protective equipment is to be issued as required. Visitors may be restricted to certain areas. It is the designated person's responsibility to work with Director of Maintenance, Operations and Facilities to see that areas such as parking lots, driveways, walkways, stairs, halls and floors are adequately lighted and maintained. All construction sites are to be posted or fenced. Periodic inspections will be made to assure adequate maintenance of public safeguards.

1.3.2: Safety measures, i.e., odor control, chlorine leak alarms and/or fencing, will be utilized to reduce public liability exposure at District sites.

2.: Safety & Health Training:

Recipients of Safety and Hazard Training Safety and Hazard Training will be provided:

2.1.1: To all new employees.

2.1.2: To employees given new job assignments for which training has not previously been received.

2.1.3: Whenever new substances, processes, equipment procedures or equipment are introduced to the workplace which represent a new hazard.

2.1.4: Whenever the employer is made aware of a new or previously unrecognized hazard.

2.1.5: As training or retraining is necessary or requested by an employee and/or required by law.

2.2: Safety Training Agenda

The District's Safety Training Program may include, but is not limited to: A New Hire Orientation which will cover topics such as:

- Injury and Illness Prevention program overview and general safety training.
- Employee "Right-To-Know" Training/Hazardous Substance Safety.
- Fire Prevention Training.

2.2.1: General safety training which covers the potential occupational safety and hazards in the workplace.

2.2.2: Job specific safety training which covers the potential occupational safety and hazards associated with 1) a department's work site and 2) specific job assignment(s).

2.2.3: Training which includes details on departmental safe work practices and personal protective equipment required for a job.



2.2.4: Employee "Right-To-Know" training which provides information regarding the hazards of any chemicals to which an employee may be exposed, their right to information contained on material safety data sheets for those chemicals, and how to read and understand the information contained on the MSDS.

2.2.5: Training which covers the contents of the District's Injury and Illness Prevention program, emphasizing the employee's right to ask any safety question(s) or provide any information to the employer on safety either directly or anonymously without fear of reprisal and the disciplinary procedures the employer will use to enforce compliance.

2.3: Documentation Procedures:

WCCUSD all safety trainings shall be documented and filed with the department head or site administrator as part of the total IIPP. Copies of training instruction shall be forwarded to Business Services Department.

3.: Recordkeeping:

3.1: WCCUSD acknowledge we are a local governmental entity (school district) and we are not required to keep written records of the steps taken to implement and maintain our IIP Program, however:

A copy of this IIPP can be found on the District Office website, school websites and a hard copy is located at each school site for review. Furthermore, we keep records as follows:

- Records of scheduled and periodic inspections including the person(s) conducting the inspection, the workplace hazards (i.e., unsafe conditions and work practices that have been identified) and the action(s) taken to correct the identified unsafe conditions and work practices, are recorded. These records are maintained for at least one (1) year.
- Documentation of safety and health training for each worker, including the worker's name or other identifier, training dates, type(s) of training, and training providers are recorded. This documentation is maintained for at least one (1) year.

3.2: The Workplace Violence Prevention Plan (WVPP), several addendum forms play a critical role in its effective implementation and management. These addendum forms provide specific frameworks for reporting, investigating, and logging violent incidents within the West Contra Costa Unified School District (WCCUSD). Here are the details of each addendum form:



1.) Addendum-A: Workplace Violence Reporting Form:

This form is designed to facilitate the reporting of workplace violence incidents within the WCCUSD. It provides a structured format for employees to document details of any observed or experienced violent behavior, including the nature of the incident, individuals involved, and any relevant circumstances. Prompt and accurate reporting through this form is essential for initiating appropriate responses and interventions to address workplace violence concerns.

2.) Addendum-B: Violent Incident Investigations Form:

The Violent Incident Investigations Form serves as a comprehensive tool for conducting thorough investigations into reported incidents of workplace violence. It outlines a systematic approach for gathering relevant information, interviewing witnesses, collecting evidence, and documenting findings. By using this form, designated personnel can ensure that investigations are conducted in a fair, objective, and consistent manner, with the goal of determining root causes and identifying preventive measures to mitigate future risks.

3.) Addendum-C: Violent Incident Log and Instructions:

Addendum-C provides a standardized format for maintaining a centralized log of all reported violent incidents within the WCCUSD. It includes instructions for accurately recording essential details of each incident, such as date, time, location, individuals involved, and actions taken. Maintaining a comprehensive incident log is crucial for tracking trends, assessing the effectiveness of prevention measures, and complying with reporting requirements. These addendum forms are integral components of the WVPP, working in tandem with the core plan to support proactive measures for preventing and addressing workplace violence. By utilizing these standardized forms, the WCCUSD can enhance its ability to respond effectively to incidents, promote a safe and secure work environment, and uphold the well-being of its employees and stakeholders.

For access to these addendum forms and detailed instructions on their use, please refer to the full text of the WCCUSD Workplace Violence Prevention Plan.



Employee Accident Investigation Form (for Supervisors)

Purpose of this form: To assist supervisors in determining root cause of employee incidents, as well as identifying and correcting any hazards that may exist to prevent similar incidents from occurring. Incident investigation and documentation is a Cal OSHA requirement and is stated in the District's Injury and Illness Prevention Program.

Employee Name:	<input type="text"/>	Position Title:	<input type="text"/>
District Name:	<input type="text"/>	School Site:	<input type="text"/>
Date of Accident:	<input type="text"/>	Location of Incident: (e.g., parking lot)	<input type="text"/>

Incident Description (What Happened):

Injury Sustained/Body Part(s) Affected:

Possible Causes of Incident (i.e. cleaning, rain, unsafe practice, sidewalk, attempting to restrain student, etc.):

Corrective Action(s) Taken (i.e. standard or emergency work order, review of safety practices, CCCSIG ergonomic evaluation/training/job safety analysis, discipline, site inspections, etc):

Date Corrective Action(s) Completed or Scheduled to be Completed:

Name & Title of Supervisor Completing this Form:

''
Dcugf 'qp' { qwt 'Uwr gt xkuqt { 'hpqy rfg i g'qhl'vj g'y qt nlgpxlt qpo gpv.'hl' { qw'j cxg'cp' { 'eqpegt pu't gi ctf lpi 'vj g t gr vkgpuj lr 'dgy ggp'vj g't gr qt vgf ')kplf gpv'F guet lr vkgp)'cpf ')kplwt { 'Uwuc'kpgf).'f rgcug'eqpwcev' { qwt ''
F lwt lev'Erko u'Eqqt f lpcvqt 0'
''

Supervisor Signature: **Date:**

What to do with this Form:

Email: Click "Email Form" to send completed form to your District Claims Coordinator.

Fax: Click on "Print Form" to fax to your District Claims Coordinator.



HAZARD CORRECTION REPORT

Department: _____

This form should be used in conjunction with the “Report of Unsafe Condition” form (IIPP Form 1), as appropriate, to track the correction of identified hazards.

All hazards should be corrected as soon as possible, based on the severity of the hazard. If a serious imminent hazard cannot be immediately corrected, remove personnel from the area and restrict access until the hazard can be addressed.

Person Conducting Inspection Name: _____ Telephone Ext.: _____

Person Conducting Inspection Signature

Date of Inspection

Description and Location of Unsafe Condition	Date Discovered	Required Action and Responsible Party	Completion Date	
			Projected	Actual

IIPP - Form 4
Rev. 05/15/24

Completed copies of this form should be routed to the Department Human Resources and Risk management kept in Department files for at least one year.

HAZARD ASSESSMENT CHECKLIST



The following checklist can be used to identify and evaluate hazards in your workplace. This checklist covers a wide variety of workplace safety and health hazards. All of the topics covered in this checklist may not apply to your particular workplace. When evaluating your workplace use the sections of the checklist that apply to your workplace and work activities.

GENERAL WORK ENVIRONMENT

- D Are all worksites clean and orderly?
- D Are work surfaces kept dry or appropriate means taken to assure the surfaces are slip-resistant?
- D Are all spilled materials or liquids cleaned up immediately?
- D Is combustible scrap, debris and waste stored safely and removed from the worksite promptly?
- D Is accumulated combustible dust routinely removed from elevated surfaces, including the overhead structure of buildings?
- D Is combustible dust cleaned up with a vacuum system to prevent the dust going into suspension?
- D Is metallic or conductive dust prevented from entering or accumulation on or around electrical enclosures or equipment?
- D Are covered metal waste cans used for oily and paint-soaked waste?
- D Are all oil and gas fired devices equipped with flame failure controls that will prevent flow of fuel if pilots or main burners are not working?
- D Are paint spray booths, dip tanks and the like cleaned regularly?
- D Are the minimum number of toilets and washing facilities provided?
- D Are all toilets and washing facilities clean and sanitary?
- D Are all work areas adequately illuminated?
- D Are pits and floor openings covered or otherwise guarded?

PERSONAL PROTECTIVE EQUIPMENT

- D Are protective goggles or face shields provided and worn where there is any danger of flying particles or corrosive materials?
- D Are approved safety glasses required to be worn at all times in areas where there is a risk of eye injuries such as punctures, abrasions, contusions or burns?
- D Are employees who need corrective lenses (glasses or contacts lenses) in working environments with harmful exposures, required to wear only approved safety glasses, protective goggles, or use other medically approved precautionary procedures?
- D Are protective gloves, aprons, shields, or other means provided against cuts, corrosive liquids and chemicals?

- D Are hard hats provided and worn where danger of falling objects exists?
- D Are hard hats inspected periodically for damage to the shell and suspension system?
- D Is appropriate foot protection required where there is the risk of foot injuries from hot, corrosive, poisonous substances, falling objects, crushing or penetrating actions?
- D Are approved respirators provided for regular or emergency use where needed?
- D Is all protective equipment maintained in a sanitary condition and ready for use?
- D Do you have eye wash facilities and a quick drench shower within the work area where employees are exposed to injurious corrosive materials?
- D Where special equipment is needed for electrical workers, is it available?
- D When lunches are eaten on the premises, are they eaten in areas where there is no exposure to toxic materials or other health hazards?
- D Is protection against the effects of occupational noise exposure provided when sound levels exceed those of the Cal/OSHA noise standard?

WALKWAYS

- D Are aisles and passageways kept clear?
- D Are aisles and walkways marked as appropriate?
- D Are wet surfaces covered with non-slip materials?
- D Are holes in the floor, sidewalk or other walking surface repaired properly, covered or otherwise made safe?
- D Is there safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.
- D Are spilled materials cleaned up immediately?
- D Are materials or equipment stored in such a way that sharp projectiles will not interfere with the walkway?
- D Are changes of direction or elevations readily identifiable?
- D Are aisles or walkways that pass near moving or operating machinery, welding operations or similar operations arranged so employees will not be subjected to potential hazards?
- D Is adequate headroom provided for the entire length of any aisle or walkway?
- D Are standard guardrails provided wherever aisle or walkway surfaces are elevated more than 30 inches above any adjacent floor or the ground?
- D Are bridges provided over conveyors and similar hazards?

FLOOR AND WALL STAIRWAYS

- D Are floor openings guarded by a cover, guardrail, or equivalent on all sides (except at entrance to stairways or ladders)?
- D Are toeboards installed around the edges of a permanent floor opening (where persons may pass below the opening)?
- D Are skylight screens of such construction and mounting that they will withstand a load of at least 200 pounds?

- D Is the glass in windows, doors, glass walls that are subject to human impact, of sufficient thickness and type for the condition of use?
- D Are grates or similar type covers over floor openings such as floor drains, of such design that foot traffic or rolling equipment will not be affected by the grate spacing?
- D Are unused portions of service pits and pits not actually in use either covered or protected by guardrails or equivalent?
- D Are manhole covers, trench covers and similar covers, plus their supports, designed to carry a truck rear axle load of at least 20,000 pounds when located in roadways and subject to vehicle traffic?
- D Are floor or wall openings in fire resistive construction provided with doors or covers compatible with the fire rating of the structure and provided with self-closing feature when appropriate?

STAIRS & STAIRWAYS

- D Are standard stair rails or handrails on all stairways having four or more risers?
- D Are all stairways at least 22 inches wide?
- D Do stairs have at least a 6'6" overhead clearance?
- D Do stairs angle no more than 50 and no less than 30 degrees?
- D Are stairs of hollow-pan type treads and landings filled to noising level with solid material?
- D Are step risers on stairs uniform from top to bottom, with no riser spacing greater than 7-1/2 inches?
- D Are steps on stairs and stairways designed or provided with a surface that renders them slip resistant?
- D Are stairway handrails located between 30 and 34 inches above the leading edge of stair treads?
- D Do stairway handrails have a least 1-1/2 inches of clearance between the handrails and the wall or surface they are mounted on?
- D Are stairway handrails capable of withstanding a load of 200 pounds, applied in any direction?
- D Where stairs or stairways exit directly into any area where vehicles may be operated, are adequate barriers and warnings provided to prevent employees stepping into the path of traffic?
- D Do stairway landings have a dimension measured in the direction of travel, at least equal to width of the stairway?
- D Is the vertical distance between stairway landings limited to 12 feet or less?

ELEVATED SURFACES

- D Are signs posted, when appropriate, showing the elevated surface load capacity?
- D Are surfaces elevated more than 30 inches above the floor or ground provided with standard guardrails?
- D Are all elevated surfaces (beneath which people or machinery could be exposed to falling objects) provided with standard 4-inch toe boards?
- D Is a permanent means of access and egress provided to elevated storage and work surfaces?
- D Is required headroom provided where necessary?
- D Is material on elevated surfaces piled, stacked or racked in a manner to prevent it from tipping, falling, collapsing, rolling or spreading?
- D Are dock boards or bridge plates used when transferring materials between docks and trucks or rail cars?

EXITING OR EGRESS

- D Are all exits marked with an exit sign and illuminated by a reliable light source?
- D Are the directions to exits, when not immediately apparent, marked with visible signs?
- D Are doors, passageways or stairways, that are neither exits nor access to exits and which could be mistaken for exits, appropriately marked "NOT AN EXIT", "TO BASEMENT", "STOREROOM", and the like?
- D Are exit signs provided with the word "EXIT" in lettering at least 5 inches high and the stroke of the lettering at least 1/2 inch wide?
- D Are exit doors side-hinged?
- D Are all exits kept free of obstructions?
- D Are at least two means of egress provided from elevated platforms, pits or rooms where the absence of a second exit would increase the risk of injury from hot, poisonous, corrosive, suffocating, flammable, or explosive substances?
- D Are there sufficient exits to permit prompt escape in case of emergency?
- D Are special precautions taken to protect employees during construction and repair operations?
- D Is the number of exits from each floor of a building, and the number of exits from the building itself, appropriate for the building occupancy load?
- D Are exit stairways which are required to be separated from other parts of a building enclosed by at least two hour fire-resistive construction in buildings more than four stories in height, and not less than one-hour fire resistive construction elsewhere?
- D When ramps are used as part of required exiting from a building, is the ramp slope limited to 1- foot vertical and 12 feet horizontal?
- D Where exiting will be through frameless glass doors, glass exit doors, storm doors, and such are the doors fully tempered and meet the safety requirements for human impact?

EXIT DOORS

- D Are doors that are required to serve as exits designed and constructed so that the way of exit travel is obvious and direct?
- D Are windows that could be mistaken for exit doors, made inaccessible by means of barriers or railings?
- D Are exit doors openable from the direction of exit travel without the use of a key or any special knowledge or effort, when the building is occupied?
- D Is a revolving, sliding or overhead door prohibited from serving as a required exit door?
- D Where panic hardware is installed on a required exit door, will it allow the door to open by applying a force of 15 pounds or less in the direction of the exit traffic?
- D Are doors on cold storage rooms provided with an inside release mechanism that will release the latch and open the door even if it's padlocked or otherwise locked on the outside?
- D Where exit doors open directly onto any street, alley or other area where vehicles may be operated, are adequate barriers and warnings provided to prevent employees stepping into the path of traffic?
- D Are doors that swing in both directions and are located between rooms where there is frequent traffic, provided with viewing panels in each door?

PORTABLE LADDERS

- D Are all ladders maintained in good condition, joints between steps and side rails tight, all hardware and fittings securely attached, and moveable parts operating freely without binding or undue play?
- D Are non-slip safety feet provided on each ladder?
- D Are non-slip safety feet provided on each metal or rung ladder?
- D Are ladder rungs and steps free of grease and oil?
- D Is it prohibited to place a ladder in front of doors opening toward the ladder except when the door is blocked open, locked or guarded?
- D Is it prohibited to place ladders on boxes, barrels, or other unstable bases to obtain additional height?
- D Are employees instructed to face the ladder when ascending or descending?
- D Are employees prohibited from using ladders that are broken, missing steps, rungs, or cleats, broken side rails or other faulty equipment?
- D Are employees instructed not to use the top 2 steps of ordinary stepladders as a step?
- D When portable rung ladders are used to gain access to elevated platforms, roofs, and the like does the ladder always extend at least 3 feet above the elevated surface?
- D Is it required that when portable rung or cleat type ladders are used the base is so placed that slipping will not occur, or it is lashed or otherwise held in place?
- D Are portable metal ladders legibly marked with signs reading "CAUTION" "Do Not Use Around Electrical Equipment" or equivalent wording?
- D Are employees prohibited from using ladders as guys, braces, skids, gin poles, or for other than their intended purposes?
- D Are employees instructed to only adjust extension ladders while standing at a base (not while standing on the ladder or from a position above the ladder)?
- D Are metal ladders inspected for damage?
- D Are the rungs of ladders uniformly spaced at 12 inches, center to center?

HAND TOOLS & EQUIPMENT

- D Are all tools and equipment (both, company and employee-owned) used by employees at their workplace in good condition?
- D Are hand tools such as chisels, punches, which develop mushroomed heads during use, reconditioned or replaced as necessary?
- D Are broken or fractured handles on hammers, axes and similar equipment replaced promptly?
- D Are worn or bent wrenches replaced regularly?
- D Are appropriate handles used on files and similar tools?
- D Are employees made aware of the hazards caused by faulty or improperly used hand tools?
- D Are appropriate safety glasses, face shields, and similar equipment used while using hand tools or equipment that might produce flying materials or be subject to breakage?
- D Are jacks checked periodically to assure they are in good operating condition?
- D Are tool handles wedged tightly in the head of all tools?
- D Are tool cutting edges kept sharp so the tool will move smoothly without binding or skipping?
- D Are tools stored in dry, secure location where they won't be tampered with?
- D Is eye and face protection used when driving hardened or tempered spuds or nails?

PORTABLE (POWER OPERATED) TOOLS & EQUIPMENT

- D Are grinders, saws, and similar equipment provided with appropriate safety guards?
- D Are power tools used with the correct shield, guard or attachment recommended by the manufacturer?
- D Are portable circular saws equipped with guards above and below the base shoe?
- D Are circular saw guards checked to assure they are not wedged up, thus leaving the lower portion of the blade unguarded?
- D Are rotating or moving parts of equipment guarded to prevent physical contact?

- D Are all cord-connected, electrically operated tools and equipment effectively grounded or of the approved double insulated type?
- D Are effective guards in place over belts, pulleys, chains, and sprockets, on equipment such as concrete mixers, air compressors, and the like?
- D Are portable fans provided with full guards or screens having openings 1/2 inch or less?
- D Is hoisting equipment available and used for lifting heavy objects, and are hoist ratings and characteristics appropriate for the task?
- D Are ground-fault circuit interrupters provided on all temporary electrical 15 and 20 ampere circuits, used during periods of construction?
- D Are pneumatic and hydraulic hoses on power-operated tools checked regularly for deterioration or damage?

ABRASIVE WHEEL EQUIPMENT GRINDERS

- D Is the work rest used and kept adjusted to within 1/8 inch of the wheel?
- D Is the adjustable tongue on the top side of the grinder used and kept adjusted to within 1/4 inch of the wheel?
- D Do side guards cover the spindle, nut, and flange and 75 percent of the wheel diameter?
- D Are bench and pedestal grinders permanently mounted?
- D Are goggles or face shields always worn when grinding?
- D Is the maximum RPM rating of each abrasive wheel compatible with the RPM rating of the grinder motor?
- D Are fixed or permanently mounted grinders connected to their electrical supply system with metallic conduit or other permanent wiring method?
- D Does each grinder have an individual on and off control switch?
- D Is each electrically operated grinder effectively grounded?
- D Before new abrasive wheels are mounted, are they visually inspected and ring tested?
- D Are dust collectors and powered exhausts provided on grinders used in operations that produce large amounts of dust?
- D Are splashguards mounted on grinders that use coolant, to prevent the coolant reaching employees?
- D Is cleanliness maintained around grinder?

POWDER ACTUATED TOOLS

- D Are employees who operate powder-actuated tools trained in their use and carry a valid operator's card?
- D Do the powder-actuated tools being used have written approval of the Division of Occupational Safety and Health?
- D Is each powder-actuated tool stored in its own locked container when not being used?
- Is a sign at least 7" by 10" with bold type reading "POWDER-ACTUATED TOOL IN USE" conspicuously posted when the tool is being used?
- D Are powder-actuated tools left unloaded until they are actually ready to be used?
- D Are powder-actuated tools inspected for obstructions or defects each day before use?
- D Do powder-actuated tools operators have and use appropriate personal protective equipment such as hard hats, safety goggles, safety shoes and ear protectors?

MACHINE GUARDING

- D Is there a training program to instruct employees on safe methods of machine operation?
- D Is there adequate supervision to ensure that employees are following safe machine operating procedures?
- D Is there a regular program of safety inspection of machinery and equipment?
- D Is all machinery and equipment kept clean and properly maintained?
- D Is sufficient clearance provided around and between machines to allow for safe operations, set up and servicing, material handling and waste removal?
- D Is equipment and machinery securely placed and anchored, when necessary to prevent tipping or other movement that could result in personal injury?
- D Is there a power shut-off switch within reach of the operator's position at each machine?
- D Can electric power to each machine be locked out for maintenance, repair, or security?

- D Are the noncurrent-carrying metal parts of electrically operated machines bonded and grounded?
- D Are foot-operated switches guarded or arranged to prevent accidental actuation by personnel or falling?
- D Are manually operated valves and switches controlling the operation of equipment and machines clearly identified and readily accessible?
- D Are all emergency stop buttons colored red?
- D Are all pulleys and belts that are within 7 feet of the floor or working level properly guarded?
- D Are all moving chains and gears properly guarded?
- D Are splashguards mounted on machines that use coolant, to prevent the coolant from reaching employees?
- D Are methods provided to protect the operator and other employees in the machine area from hazards created at the point of operation, ingoing nip points, rotating parts, flying chips, and sparks?
- D Are machinery guards secure and so arranged that they do not offer a hazard in their use?
- D If special hand tools are used for placing and removing material, do they protect the operator's hands?
- D Are revolving drums, barrels, and containers required to be guarded by an enclosure that is interlocked with the drive mechanism, so that revolution cannot occur unless the guard enclosure is in place, so guarded?
- D Do arbors and mandrels have firm and secure bearings and are they free from play?
- D Are provisions made to prevent machines from automatically starting when power is restored after a power failure or shutdown?
- D Are machines constructed so as to be free from excessive vibration when the largest size tool is mounted and run at full speed?
- D If machinery is cleaned with compressed air, is air pressure controlled and personal protective equipment or other safeguards used to protect operators and other workers from eye and body injury?
- D Are fan blades protected with a guard having openings no larger than 1/2 inch, when operating within 7 feet of the floor?
- D Are saws used for ripping, equipped with anti-kick back devices and spreaders?
- D Are radial arm saws so arranged that the cutting head will gently return to the back of the table when released?

LOCKOUT BLOCKOUT PROCEDURES

- D Is all machinery or equipment capable of movement, required to be de-energized or disengaged and blocked or locked out during cleaning, servicing, adjusting or setting up operations, whenever required?
- D Is the locking-out of control circuits in lieu of locking-out main power disconnects prohibited?
- D Are all equipment control valve handles provided with a means for locking-out?
- D Does the lockout procedure require that stored energy (i.e. mechanical, hydraulic, air,) be released or blocked before equipment is locked-out for repairs?
- D Are appropriate employees provided with individually keyed personal safety locks?
- D Are employees required to keep personal control of their key(s) while they have safety locks in use?
- D Is it required that employees check the safety of the lock out by attempting a start up after making sure no one is exposed?
- D Where the power disconnecting means for equipment does not also disconnect the electrical control circuit:
- D Are the appropriate electrical enclosures identified?
- D Is means provide to assure the control circuit can also be disconnected and locked out?

WELDING, CUTTING & BRAZING

- D Are only authorized and trained personnel permitted to use welding, cutting or brazing equipment?
- D Do all operator have a copy of the appropriate operating instructions and are they directed to follow them?
- D Are compressed gas cylinders regularly examined for obvious signs of defects, deep rusting, or leakage?
- D Is care used in handling and storage of cylinders, safety valves, relief valves, and the like, to prevent damage?
- D Are precautions taken to prevent the mixture of air or oxygen with flammable gases, except at a burner or in a standard torch?

- D Are only approved apparatus (torches, regulators, pressure-reducing valves, acetylene generators, manifolds) used?
- D Are cylinders kept away from sources of heat?
- D Is it prohibited to use cylinders as rollers or supports?
- D Are empty cylinders appropriately marked their valves closed and valve-protection caps on?
- Are signs reading: DANGER NO-SMOKING, MATCHES, OR OPEN LIGHTS, or the equivalent posted?
- D Are cylinders, cylinder valves, couplings, regulators, hoses, and apparatus keep free of oily or greasy substances?
- D Is care taken not to drop or strike cylinders?
- D Unless secured on special trucks, are regulators removed and valve-protection caps put in place before moving cylinders?
- D Do cylinders without fixed hand wheels have keys, handles, or non-adjustable wrenches on stem valves when in service?
- D Are liquefied gases stored and shipped valve-end up with valve covers in place?
- D Are employees instructed to never crack a fuel-gas cylinder valve near sources of ignition?
- D Before a regulator is removed, is the valve closed and gas released from the regulator?
- D Is red used to identify the acetylene (and other fuel-gas) hose, green for oxygen hose, and black for inert gas and air hose?
- D Are pressure-reducing regulators used only for the gas and pressures for which they are intended?
- D Is open circuit (No Load) voltage of arc welding and cutting machines as low as possible and not in excess of the recommended limits?
- D Under wet conditions, are automatic controls for reducing no-load voltage used?
- D Is grounding of the machine frame and safety ground connections of portable machines checked periodically?

- D Are electrodes removed from the holders when not in use?
- D Is it required that electric power to the welder be shut off when no one is in attendance?
- D Is suitable fire extinguishing equipment available for immediate use?
- D Is the welder forbidden to coil or loop welding electrode cable around his body?
- D Are wet machines thoroughly dried and tested before being used?
- D Are work and electrode lead cables frequently inspected for wear and damage, and replaced when needed?
- D Do means for connecting cables' lengths have adequate insulation?
- D When the object to be welded cannot be moved and fire hazards cannot be removed, are shields used to confine heat, sparks, and slag?
- D Are firewatchers assigned when welding or cutting is performed, in locations where a serious fire might develop?
- D Are combustible floors kept wet, covered by damp sand, or protected by fire-resistant shields?
- D When floors are wet down, are personnel protected from possible electrical shock?
- D When welding is done on metal walls, are precautions taken to protect combustibles on the other side?
- D Before hot work is begun, are used drums, barrels, tanks, and other containers so thoroughly cleaned that no substances remain that could explode, ignite, or produce toxic vapors?
- D Is it required that eye protection helmets, hand shields and goggles meet appropriate standards?
- D Are employees exposed to the hazards created by welding, cutting, or bracing operations protected with personal protective equipment and clothing?
- D Is a check made for adequate ventilation in and where welding or cutting is performed?
- D When working in confined places are environmental monitoring tests taken and means provided for quick removal of welders in case of an emergency?

COMPRESSORS & COMPRESSED AIR

- D Are compressors equipped with pressure relief valves, and pressure gauges?
- D Are compressor air intakes installed and equipped to ensure that only clean uncontaminated air enters the compressor?
- D Are air filters installed on the compressor intake?

- D Are compressors operated and lubricated in accordance with the manufacturer's recommendations?
- D Are safety devices on compressed air systems checked frequently?
- D Before any repair work is done on the pressure system of a compressor, is the pressure bled off and the system locked-out?
- D Are signs posted to warn of the automatic starting feature of the compressors?
- D Is the belt drive system totally enclosed to provide protection for the front, back, top, and sides?
- D Is it strictly prohibited to direct compressed air towards a person?
- D Are employees prohibited from using highly compressed air for cleaning purposes?
- D If compressed air is used for cleaning off clothing, is the pressure reduced to less than 10 psi?
- D When using compressed air for cleaning, do employees use personal protective equipment?
- D Are safety chains or other suitable locking devices used at couplings of high pressure hose lines where a connection failure would create a hazard?
- D Before compressed air is used to empty containers of liquid, is the safe working pressure of the container checked?
- D When compressed air is used with abrasive blast cleaning equipment, is the operating valve a type that must be held open manually?
- D When compressed air is used to inflate auto tires, is a clip-on chuck and an inline regulator preset to 40 psi required?
- D Is it prohibited to use compressed air to clean up or move combustible dust if such action could cause the dust to be suspended in the air and cause a fire or explosion hazard?

COMPRESSED AIR RECEIVERS

- D Is every receiver equipped with a pressure gauge and with one or more automatic, spring-loaded safety valves?
- D Is the total relieving capacity of the safety valve capable of preventing pressure in the receiver from exceeding the maximum allowable working pressure of the receiver by more than 10 percent?
- D Is every air receiver provided with a drainpipe and valve at the lowest point for the removal of accumulated oil and water?
- D Are compressed air receivers periodically drained of moisture and oil?
- D Are all safety valves tested frequently and at regular intervals to determine whether they are in good operating condition?
- D Is there a current operating permit issued by the Division of Occupational Safety and Health?
- D Is the inlet of air receivers and piping systems kept free of accumulated oil and carbonaceous materials?

COMPRESSED GAS & CYLINDERS

- D Are cylinders with a water weight capacity over 30 pounds equipped with means for connecting a valve protector device, or with a collar or recess to protect the valve?
- D Are cylinders legibly marked to clearly identify the gas contained?
- D Are compressed gas cylinders stored in areas which are protected from external heat sources such as flame impingement, intense radiant heat, electric arcs, or high temperature lines?
- D Are cylinders located or stored in areas where they will not be damaged by passing or falling objects, or subject to tampering by unauthorized persons?
- D Are cylinders stored or transported in a manner to prevent them creating a hazard by tipping, falling or rolling?
- D Are cylinders containing liquefied fuel gas, stored or transported in a position so that the safety relief device is always in direct contact with the vapor space in the cylinder?
- D Are valve protectors always placed on cylinders when the cylinders are not in use or connected for use?
- D Are all valves closed off before a cylinder is moved, when the cylinder is empty, and at the completion of each job?
- D Are low pressure fuel-gas cylinders checked periodically for corrosion, general distortion, cracks, or any other defect that might indicate a weakness or render it unfit for service?
- D Does the periodic check of low pressure fuel-gas cylinders include a close inspection of the cylinders' bottom?

HOIST & AUXILIARY EQUIPMENT

- D Is each overhead electric hoist equipped with a limit device to stop the hook travel at its highest and lowest point of safe travel?
- D Will each hoist automatically stop and hold any load up to 125 percent of its rated load, if its actuating force is removed?
- D Is the rated load of each hoist legibly marked and visible to the operator?
- D Are stops provided at the safe limits of travel for trolley hoist?
- D Are the controls of hoists plainly marked to indicate the direction of travel or motion?
- D Is each cage-controlled hoist equipped with an effective warning device?
- D Are close-fitting guards or other suitable devices installed on hoist to assure hoist ropes will be maintained in the sheave grooves?
- D Are all hoist chains or ropes of sufficient length to handle the full range of movement for the application while still maintaining two full wraps on the drum at all times?
- D Are nip points or contact points between hoist ropes and sheaves which are permanently located within 7 feet of the floor, ground or working platform, guarded?
- D Is it prohibited to use chains or rope slings that are kinked or twisted?
- D Is it prohibited to use the hoist rope or chain wrapped around the load as a substitute, for a sling?
- D Is the operator instructed to avoid carrying loads over people?
- D Are only employees who have been trained in the proper use of hoists allowed to operate them?

INDUSTRIAL TRUCKS - FORKLIFTS

- D Are only trained personnel allowed to operate industrial trucks?
- D Is substantial overhead protective equipment provided on high lift rider equipment?
- D Are the required lift truck operating rules posted and enforced?
- D Is directional lighting provided on each industrial truck that operates in an area with less than 2 foot candles per square foot of general lighting?
- D Does each industrial truck have a warning horn, whistle, gong or other device which can be clearly heard above the normal noise in the areas where operated?
- D Are the brakes on each industrial truck capable of bringing the vehicle to a complete and safe stop when fully loaded?
- D Will the industrial truck's parking brake effectively prevent the vehicle from moving when unattended?
- D Are industrial trucks operating in areas where flammable gases or vapors, or combustible dust or ignitable fibers may be present in the atmosphere, approved for such locations?
- D Are motorized hand and hand/rider trucks so designed that the brakes are applied, and power to the drive motor shuts off when the operator releases his/her grip on the device that controls the travel?
- D Are industrial trucks with internal combustion engine operated in buildings or enclosed areas, carefully checked to ensure such operations do not cause harmful concentration of dangerous gases or fumes?

SPRAYING OPERATIONS

- D Is adequate ventilation assured before spray operations are started?
- D Is mechanical ventilation provided when spraying operation is done in enclosed areas?
- D When mechanical ventilation is provided during spraying operations, is it so arranged that it will not circulate the contaminated air?
- D Is the spray area free of hot surfaces?
- D Is the spray area at least 20 feet from flames, sparks, operating electrical motors and other ignition sources?
- D Are portable lamps used to illuminate spray areas suitable for use in a hazardous location?
- D Is approved respiratory equipment provided and used when appropriate during spraying operations?
- D Do solvents used for cleaning have a flash point of 100E F or more?
- D Are fire control sprinkler heads kept clean?

- D Are "NO SMOKING" signs posted in spray areas, paint rooms, paint booths, and paint storage areas?
- D Is the spray area kept clean of combustible residue?
- D Are spray booths constructed of metal, masonry, or other substantial noncombustible material?
- D Are spray booth floors and baffles noncombustible and easily cleaned?
- D Is infrared drying apparatus kept out of the spray area during spraying operations?
- D Is the spray booth completely ventilated before using the drying apparatus?
- D Is the electric drying apparatus properly grounded?
- D Are lighting fixtures for spray booths located outside of the booth and the interior lighted through sealed clear panels?
- D Are the electric motors for exhaust fans placed outside booths or ducts?
- D Are belts and pulleys inside the booth fully enclosed?
- D Do ducts have access doors to allow cleaning?
- D Do all drying spaces have adequate ventilation?

ENTERING CONFINED SPACES

- D Are confined spaces thoroughly emptied of any corrosive or hazardous substances, such as acids or caustics, before entry?
- D Before entry, are all lines to a confined space, containing inert, toxic, flammable, or corrosive materials valved off and blanked or disconnected and separated?
- D Is it required that all impellers, agitators, or other moving equipment inside confined spaces be locked-out if they present a hazard?
- D Is either natural or mechanical ventilation provided prior to confined space entry?
- D Before entry, are appropriate atmospheric tests performed to check for oxygen deficiency, toxic substance and explosive concentrations in the confined space before entry?
- D Is adequate illumination provided for the work to be performed in the confined space?
- D Is the atmosphere inside the confined space frequently tested or continuously monitor during conduct of work?

- D Is there an assigned safety standby employee outside of the confined space, whose sole responsibility is to watch the work in progress, sound an alarm if necessary, and render assistance?
- D Is the standby employee or other employees prohibited from entering the confined space without lifelines and respiratory equipment if there is any questions as to the cause of an emergency?
- D In addition to the standby employee, is there at least one other trained rescuer in the vicinity?
- D Are all rescuers appropriately trained and using approved, recently inspected equipment?
- D Does all rescue equipment allow for lifting employees vertically from a top opening?
- D Are there trained personnel in First Aid and CPR immediately available?
- D Is there an effective communication system in place whenever respiratory equipment is used and the employee in the confined space is out of sight of the standby person?
- D Is approved respiratory equipment required if the atmosphere inside the confined space cannot be made acceptable?
- D Is all portable electrical equipment used inside confined spaces either grounded and insulated, or equipped with ground fault protection?
- D Before gas welding or burning is started in a confined space, are hoses checked for leaks, compressed gas bottles forbidden inside of the confined space, torches lighted only outside of the confined area and the confined area tested for an explosive atmosphere each time before a lighted torch is to be taken into the confined space?
- D If employees will be using oxygen-consuming equipment such as salamanders, torches, furnaces, in a confined space, is sufficient air provided to assure combustion without reducing the oxygen concentration of the atmosphere below 19.5 percent by volume?
- D Whenever combustion-type equipment is used in confined space, are provisions made to ensure the exhaust gases are vented outside of the enclosure?
- D Is each confined space checked for decaying vegetation or animal matter, which may produce methane?
- D Is the confined space checked for possible industrial waste, which could contain toxic properties?

- D If the confined space is below the ground and near areas where motor vehicles will be operating, is it possible for vehicle exhaust or carbon monoxide to enter the space?

ENVIRONMENTAL CONTROLS

- D Are all work areas properly illuminated?
- D Are employees instructed in proper first aid and other emergency procedures?
- D Are hazardous substances identified which may cause harm by inhalation, ingestion, skin absorption or contact?
- D Are employees aware of the hazards involved with the various chemicals they may be exposed to in their work environment, such as ammonia, chlorine, epoxies, and caustics?
- D Is employee exposure to chemicals in the workplace kept within acceptable levels?
- D Can a less harmful method or product be used?
- D Is the work area's ventilation system appropriate for the work being performed?
- D Are spray painting operations done in spray rooms or booths equipped with an appropriate exhaust system?
- D Is employee exposure to welding fumes controlled by ventilation, use of respirators, exposure time, or other means?
- D Are welders and other workers nearby provided with flash shields during welding operations?
- D If forklifts and other vehicles are used in buildings or other enclosed areas, are the carbon monoxide levels kept below maximum acceptable concentration?
- D Has there been a determination that noise levels in the facilities are within acceptable levels?
- D Are steps being taken to use engineering controls to reduce excessive noise levels?
- D Are proper precautions being taken when handling asbestos and other fibrous materials?
- D Are caution labels and signs used to warn of asbestos?
- D Are wet methods used, when practicable, to prevent the emission of airborne asbestos fibers, silica dust and similar hazardous materials?
- D Is vacuuming with appropriate equipment used whenever possible rather than blowing or sweeping dust?
- D Are grinders, saws, and other machines that produce respirable dusts vented to an industrial collector or central exhaust system?
- D Are all local exhaust ventilation systems designed and operating properly such as airflow and volume necessary for the application? Are the ducts free of obstructions or the belts slipping?
- D Is personal protective equipment provided, used and maintained wherever required?
- D Are there written standard operating procedures for the selection and use of respirators where needed?
- D Are restrooms and washrooms kept clean and sanitary?
- D Is all water provided for drinking, washing, and cooking potable?
- D Are all outlets for water not suitable for drinking clearly identified?
- D Are employees' physical capacities assessed before being assigned to jobs requiring heavy work?
- D Are employees instructed in the proper manner of lifting heavy objects?
- D Where heat is a problem, have all fixed work areas been provided with spot cooling or air conditioning?
- D Are employees screened before assignment to areas of high heat to determine if their health condition might make them more susceptible to having an adverse reaction?
- D Are employees working on streets and roadways where they are exposed to the hazards of traffic, required to wear bright colored (traffic orange) warning vest?
- D Are exhaust stacks and air intakes located that contaminated air will not be recirculated within a building or other enclosed area?
- D Is equipment producing ultra-violet radiation properly shielded?

FLAMMABLE & COMBUSTIBLE MATERIALS

- D Are combustible scrap, debris and waste materials (i.e. oily rags) stored in covered metal receptacles and removed from the worksite promptly?
- D Is proper storage practiced to minimize the risk of fire including spontaneous combustion?
- D Are approved containers and tanks used for the storage and handling of flammable and combustible liquids?

- D Are all connections on drums and combustible liquid piping, vapor and liquid tight?
- D Are all flammable liquids kept in closed containers when not in use (e.g. parts cleaning tanks, pans)?
- D Are bulk drums of flammable liquids grounded and bonded to containers during dispensing?
- D Do storage rooms for flammable and combustible liquids have explosion-proof lights?
- D Do storage rooms for flammable and combustible liquids have mechanical or gravity ventilation?
- D Is liquefied petroleum gas stored, handled, and used in accordance with safe practices and standards?
- D Are liquefied petroleum storage tanks guarded to prevent damage from vehicles?
- D Are all solvent wastes and flammable liquids kept in fire-resistant covered containers until they are removed from the worksite?
- D Is vacuuming used whenever possible rather than blowing or sweeping combustible dust?
- D Are fire separators placed between containers of combustibles or flammables, when stacked one upon another, to assure their support and stability?
- D Are fuel gas cylinders and oxygen cylinders separated by distance, fire resistant barriers or other means while in storage?
- D Are fire extinguishers selected and provided for the types of materials in areas where they are to be used?
- D Class A: Ordinary combustible material fires.
- D Class B: Flammable liquid, gas or grease fires.
- D Class C: Energized-electrical equipment fires.
- D If a Halon 1301 fire extinguisher is used, can employees evacuate within the specified time for that extinguisher?
- D Are appropriate fire extinguishers mounted within 75 feet of outside areas containing flammable liquids, and within 10 feet of any inside storage area for such materials?
- D Is the transfer/withdrawal of flammable or combustible liquids performed by trained personnel?
- D Are fire extinguishers mounted so that employees do not have to travel more than 75 feet for a class "A" fire or 50 feet for a class "B" fire?
- D Are employees trained in the use of fire extinguishers?
- D Are extinguishers free from obstructions or blockage?
- D Are all extinguishers serviced, maintained and tagged at intervals not to exceed one year?
- D Are all extinguishers fully charged and in their designated places?
- D Is a record maintained of required monthly checks of extinguishers?
- D Where sprinkler systems are permanently installed, are the nozzle heads directed or arranged so that water will not be sprayed into operating electrical switchboards and equipment?
- D Are "NO SMOKING" signs posted where appropriate in areas where flammable or combustible materials are used or stored?
- D Are "NO SMOKING" signs posted on liquefied petroleum gas tanks?
- D Are "NO SMOKING" rules enforced in areas involving storage and use of flammable materials?
- D Are safety cans used for dispensing flammable or combustible liquids at a point of use?
- D Are all spills of flammable or combustible liquids cleaned up promptly?
- D Are storage tanks adequately vented to prevent the development of excessive vacuum or pressure as a result of filling, emptying, or atmosphere temperature changes?
- D Are storage tanks equipped with emergency venting that will relieve excessive internal pressure caused by fire exposure?
- D Are spare portable or butane tanks, which are used by industrial trucks stored in accord with regulations?

FIRE PROTECTION

- D Do you have a fire prevention plan?
- D Does your plan describe the type of fire protection equipment and/or systems?
- D Have you established practices and procedures to control potential fire hazards and ignition sources?
- D Are employees aware of the fire hazards of the material and processes to which they are exposed?
- D Is your local fire department well acquainted with your facilities, location and specific hazards?
- D If you have a fire alarm system, is it tested at least annually?

- D If you have a fire alarm system, is it certified as required?
- D If you have interior standpipes and valves, are they inspected regularly?
- D If you have outside private fire hydrants, are they flushed at least once a year and on a routine preventive maintenance schedule?
- D Are fire doors and shutters in good operating condition?
- D Are fire doors and shutters unobstructed and protected against obstructions, including their counterweights?
- D Are fire door and shutter fusible links in place?
- D Are automatic sprinkler system water control valves, air and water pressures checked weekly/periodically as required?
- D Is maintenance of automatic sprinkler system assigned to responsible persons or to a sprinkler contractor?
- D Are sprinkler heads protected by metal guards, when exposed to physical damage?
- D Is proper clearance maintained below sprinkler heads?
- D Are portable fire extinguishers provided in adequate number and type?
- D Are fire extinguishers mounted in readily accessible locations?
- D Are fire extinguishers recharged regularly and noted on the inspection tag?
- D Are employees periodically instructed in the use of extinguishers and fire protection procedures?

HAZARDOUS CHEMICAL EXPOSURES

- D Are employees trained in the safe handling practices of hazardous chemicals such as acids, caustics, and the like?
- D Are employees aware of the potential hazards involving various chemicals stored or used in the workplace-- such as acids, bases, caustics, epoxies, and phenols?
- D Is employee exposure to chemicals kept within acceptable levels?
- D Are eye wash fountains and safety showers provided in areas where corrosive chemicals are handled?
- D Are all containers, such as vats and storage tanks labeled as to their contents--e.g. "CAUSTICS"?
- D Are all employees required to use personal protective clothing and equipment when handling chemicals (i.e. gloves, eye protection, and respirators)?
- D Are flammable or toxic chemicals kept in closed containers when not in use?
- D Are chemical piping systems clearly marked as to their content?
- D Where corrosive liquids are frequently handled in open containers or drawn from storage vessels or pipelines, is adequate means readily available for neutralizing or disposing of spills or overflows properly and safely?
- D Have standard operating procedures been established and are they being followed when cleaning up chemical spills?
- D Where needed for emergency use, are respirators stored in a convenient, clean and sanitary location?
- D Are respirators intended for emergency use adequate for the various uses for which they may be needed?
- D Are employees prohibited from eating in areas where hazardous chemicals are present?
- D Is personal protective equipment provided, used and maintained whenever necessary?
- D Are there written standard operating procedures for the selection and use of respirators where needed?
- D If you have a respirator protection program, are your employees instructed on the correct usage and limitations of the respirators?
- D Are the respirators NIOSH approved for this particular application?
- D Are they regularly inspected and cleaned sanitized and maintained?
- D If hazardous substances are used **in** your processes, do you have a medical or biological monitoring system in operation?
- D Are you familiar with the Threshold Limit Values or Permissible Exposure Limits of airborne contaminants and physical agents used in your workplace?
- D Have control procedures been instituted for hazardous materials, where appropriate, such as respirators, ventilation systems, handling practices, and the like?
- D Whenever possible, are hazardous substances handled **in** properly designed and exhausted booths or similar locations?
- D Do you use general dilution or local exhaust ventilation systems to control dusts, vapors, gases, fumes, smoke, solvents or mists which may be generated in your workplace?

- D Is ventilation equipment provided for removal of contaminants from such operations as production grinding, buffing, spray painting, and/or vapor decreasing, and is it operating properly?
- D Do employees complain about dizziness, headaches, nausea, irritation, or other factors of discomfort when they use solvents or other chemicals?
- D Is there a dermatitis problem--do employees complain about skin dryness, irritation, or sensitization?
- D Have you considered the use of an industrial hygienist or environmental health specialist to evaluate your operation?
- D If internal combustion engines are used, is carbon monoxide kept within acceptable levels?
- D Is vacuuming used, rather than blowing or sweeping dusts whenever possible for clean up?
- D Are materials, which give off toxic asphyxiant, suffocating or anesthetic fumes, stored in remote or isolated locations when not in use?

HAZARDOUS SUBSTANCES COMMUNICATION

- D Is there a list of hazardous substances used in your workplace?
- D Is there a written hazard communication program dealing with Material Safety Data Sheets (MSDS) labeling, and employee training?
- D Who is responsible for MSDSs, container labeling, employee training?
- D Is each container for a hazardous substance (i.e. vats, bottles, storage tanks,) labeled with product identity and a hazard warning (communication of the specific health hazards and physical hazards)?
- D Is there a Material Safety Data Sheet readily available for each hazardous substance used?
- D How will you inform other employers whose employees share the same work area where the hazardous substances are used?
- D Is there an employee training program for hazardous substances?
- D Does this program include:
 - D An explanation of what an MSDS is and how to use and obtain one?
 - D MSDS contents for each hazardous substance or class of substances?
 - D Explanation of "Right to Know"?
 - D Identification of where employees can see the employer's written hazard communication program and where hazardous substances are present in their work area?
 - D The physical and health hazards of substances in the work area, how to detect their presence, and specific protective measures to be used?
 - D Details of the hazard communication program, including how to use the labeling system and MSDSs?
 - D How employees will be informed of hazards of non-routine tasks, and hazards of unlabeled pipes?

ELECTRICAL

- D Are your workplace electricians familiar with the Cal/OSHA Electrical Safety Orders?
- D Do you specify compliance with Cal/OSHA for all contract electrical work?
- D Are all employees required to report as soon as practicable any obvious hazard to life or property observed in connection with electrical equipment or lines?
- D Are employees instructed to make preliminary inspections and/or appropriate tests to determine what conditions exist before starting work on electrical equipment or lines?
- D When electrical equipment or lines are to be serviced, maintained or adjusted, are necessary switches opened, locked-out and tagged whenever possible?
- D Are portable electrical tools and equipment grounded or of the double insulated type?
- D Are electrical appliances such as vacuum cleaners, polishers, vending machines grounded?
- D Do extension cords being used have a grounding conductor?
- D Are multiple plug adapters prohibited?
- D Are ground-fault circuit interrupters installed on each temporary 15 or 20 ampere, 120 volt AC circuit at locations where construction, demolition, modifications, alterations or excavations are being performed?
- D Are all temporary circuits protected by suitable disconnecting switches or plug connectors at the junction with permanent wiring?
- D Is exposed wiring and cords with frayed or deteriorated insulation repaired or replaced promptly?

- D Are flexible cords and cables free of splices or taps?
- D Are clamps or other securing means provided on flexible cords or cables at plugs, receptacles, tools, and equipment and is the cord jacket securely held in place?
- D Are all cord, cable and raceway connections intact and secure?
- D In wet or damp locations, are electrical tools and equipment appropriate for the use or location or otherwise protected?
- D Is the location of electrical power lines and cables (overhead, underground, underfloor, other side of walls) determined before digging, drilling or similar work is begun?
- D Are metal measuring tapes, ropes, handlines or similar devices with metallic thread woven into the fabric prohibited where they could come in contact with energized parts of equipment or circuit conductors?
- D Is the use of metal ladders prohibited in area where the ladder or the person using the ladder could come in contact with energized parts of equipment, fixtures or circuit conductors?
- D Are all disconnecting switches and circuit breakers labeled to indicate their use or equipment served?
- D Are disconnecting means always opened before fuses are replaced?
- D Do all interior wiring systems include provisions for grounding metal parts of electrical raceways, equipment and enclosures?
- D Are all electrical raceways and enclosures securely fastened in place?
- D Are all energized parts of electrical circuits and equipment guarded against accidental contact by approved cabinets or enclosures?
- D Is sufficient access and working space provided and maintained about all electrical equipment to permit ready and safe operations and maintenance?
- D Are all unused openings (including conduit knockouts) in electrical enclosures and fittings closed with appropriate covers, plugs or plates?
- D Are electrical enclosures such as switches, receptacles, junction boxes, etc., provided with tight-fitting covers or plates?
- D Are disconnecting switches for electrical motors in excess of two horsepower, capable of opening the circuit when the motor is in a stalled condition, without exploding? (Switches must be horsepower rated equal to or in excess of the motor hp rating).
- D Is low voltage protection provided in the control device of motors driving machines or equipment, which could cause probably injury from inadvertent starting?
- D Is each motor disconnecting switch or circuit breaker located within sight of the motor control device?
- D Is each motor located within sight of its controller or the controller disconnecting means capable of being locked in the open position or is a separate disconnecting means installed in the circuit within sight of the motor?
- D Is the controller for each motor in excess of two horsepower, rated in horsepower equal to or in excess of the rating of the motor is serves?
- D Are employees who regularly work on or around energized electrical equipment or lines instructed in the cardiopulmonary resuscitation (CPR) methods?
- D Are employees prohibited from working alone on energized lines or equipment over 600 volts?

NOISE

- D Are there areas in the workplace where continuous noise levels exceed 85 dBA? (To determine maximum allowable levels for intermittent or impact noise, see Title 8, Section 5097.)
- D Are noise levels being measured using a sound level meter or an octave band analyzer and records being kept?
- D Have you tried isolating noisy machinery from the rest of your operation?
- D Have engineering controls been used to reduce excessive noise levels?
- D Where engineering controls are determined not feasible, are administrative controls (i.e. worker rotation) being used to minimize individual employee exposure to noise?
- D Is there an ongoing preventive health program to educate employees in safe levels of noise and exposure, effects of noise on their health, and use of personal protection?
- D Is the training repeated annually for employees exposed to continuous noise above 85 dBA?
- D Have work areas where noise levels make voice communication between employees difficult been identified and posted?

- D Is approved hearing protective equipment (noise attenuating devices) available to every employee working in areas where continuous noise levels exceed 85 dBA?
- D If you use ear protectors, are employees properly fitted and instructed in their use and care?
- D Are employees exposed to continuous noise above 85 dBA given periodic audiometric testing to ensure that you have an effective hearing protection system?

FUELING

- D Is it prohibited to fuel an internal combustion engine with a flammable liquid while the engine is running?
- D Are fueling operations done in such a manner that likelihood of spillage will be minimal?
- D When spillage occurs during fueling operations, is the spilled fuel cleaned up completely, evaporated, or other measures taken to control vapors before restarting the engine?
- D Are fuel tank caps replaced and secured before starting the engine?
- D In fueling operations is there always metal contact between the container and fuel tank?
- D Are fueling hoses of a type designed to handle the specific type of fuel?
- D Is it prohibited to handle or transfer gasoline in open containers?
- D Are open lights, open flames, or sparking or arcing equipment prohibited near fueling or transfer of fuel operations?
- D Is smoking prohibited in the vicinity of fueling operations?
- D Are fueling operations prohibited in building or other enclosed areas that are not specifically ventilated for this purpose?
- D Where fueling or transfer of fuel is done through a gravity flow system, are the nozzles of the self-closing type?

IDENTIFICATION OF PIPING SYSTEMS

- D When nonpotable water is piped through a facility, are outlets or taps posted to alert employees that it is unsafe and not to be used for drinking, washing or other personal use?
- D When hazardous substances are transported through above ground piping, is each pipeline identified at points where confusion could introduce hazards to employees?
- D When pipelines are identified by color painting, are all visible parts of the line so identified?
- D When pipelines are identified by color painted bands or tapes, are the bands or tapes located at reasonable intervals and at each outlet, valve or connection?
- D When pipelines are identified by color, is the color code posted at all locations where confusion could introduce hazards to employees?
- D When the contents of pipelines are identified by name or name abbreviation, is the information readily visible on the pipe near each valve or outlet?
- D When pipelines carrying hazardous substances are identified by tags, are the tags constructed of durable materials, the message carried clearly and permanently distinguishable and are tags installed at each valve or outlet?
- D When pipelines are heated by electricity, steam or other external source, are suitable warning signs or tags placed at unions, valves, or other serviceable parts of the system?

MATERIAL HANDLING

- D Is there safe clearance for equipment through aisles and doorways?
- D Are aisleways designated, permanently marked, and kept clear to allow unhindered passage?
- D Are motorized vehicles and mechanized equipment inspected daily or prior to use?
- D Are vehicles shut off and brakes set prior to loading or unloading?
- D Are containers or combustibles or flammables, when stacked while being moved, always separated by dunnage sufficient to provide stability?
- D Are dock boards (bridge plates) used when loading or unloading operations are taking place between vehicles and docks?
- D Are trucks and trailers secured from movement during loading and unloading operations?

- D Are dock plates and loading ramps constructed and maintained with sufficient strength to support imposed loading?
- D Are hand trucks maintained in safe operating condition?
- D Are chutes equipped with sideboards of sufficient height to prevent the materials being handled from falling off?
- D Are chutes and gravity roller sections firmly placed or secured to prevent displacement?
- D At the delivery end of rollers or chutes, are provisions made to brake the movement of the handled materials.

- D Are pallets usually inspected before being loaded or moved?
- D Are hooks with safety latches or other arrangements used when hoisting materials so that slings or load attachments won't accidentally slip off the hoist hooks?
- D Are securing chains, ropes, chockers or slings adequate for the job to be performed?
- D When hoisting material or equipment, are provisions made to assure no one will be passing under the suspended loads?
- D Are Material Safety Data Sheets available to employees handling hazardous substances?

TRANSPORTING EMPLOYEES & MATERIALS

- D Do employees who operate vehicles on public thoroughfares have valid operator's licenses?
- D When seven or more employees are regularly transported in a van, bus or truck, is the operator's license appropriate for the class of vehicle being driven?
- D Is each van, bus or truck used regularly to transport employees, equipped with an adequate number of seats?

- D When employees are transported by truck, are provision provided to prevent their falling from the vehicle?
- D Are vehicles used to transport employees, equipped with lamps, brakes, horns, mirrors, windshields and turn signals in good repair?
- D Are transport vehicles provided with handrails, steps, stirrups or similar devices, so placed and arranged that employees can safely mount or dismount?
- D Are employee transport vehicles equipped at all times with at least two reflective type flares?
- D Is a full charged fire extinguisher, in good condition, with at least 4 B:C rating maintained in each employee transport vehicle?
- D When cutting tools with sharp edges are carried in passenger compartments of employee transport vehicles, are they placed in closed boxes or containers which are secured in place?
- D Are employees prohibited from riding on top of any load, which can shift, topple, or otherwise become unstable?

CONTROL OF HARMFUL SUBSTANCES BY VENTILATION

- D Is the volume and velocity of air in each exhaust system sufficient to gather the dusts, fumes, mists, vapors or gases to be controlled, and to convey them to a suitable point of disposal?
- D Are exhaust inlets, ducts and plenums designed, constructed, and supported to prevent collapse or failure of any part of the system?
- D Are clean-out ports or doors provided at intervals not to exceed 12 feet in all horizontal runs of exhaust ducts?

- D Where two or more different type of operations are being controlled through the same exhaust system, will the combination of substances being controlled, constitute a fire, explosion or chemical reaction hazard in the duct?
- D Is adequate makeup air provided to areas where exhaust systems are operating?
- D Is the intake for makeup air located so that only clean, fresh air, which is free of contaminates, will enter the work environment?
- D Where two or more ventilation systems are serving a work area, is their operation such that one will not offset the functions of the other?

SANITIZING EQUIPMENT & CLOTHING

- D Is personal protective clothing or equipment, that employees are required to wear or use, of a type capable of being easily cleaned and disinfected?
- D Are employees prohibited from interchanging personal protective clothing or equipment, unless it has been properly cleaned?
- D Are machines and equipment, which processes, handle or apply materials that could be injurious to employees, cleaned and/or decontaminated before being overhauled or placed in storage?
- D Are employees prohibited from smoking or eating in any area where contaminants are present that could be injurious if ingested?
- D When employees are required to change from street clothing into protective clothing, is a clean changeroom with separate storage facility for street and protective clothing provided?
- D Are employees required to shower and wash their hair as soon as possible after a known contact has occurred with a carcinogen?
- D When equipment, materials, or other items are taken into or removed from a carcinogen regulated area, is it done in a manner that will not contaminate non-regulated areas or the external environment?

TIRE INFLATION

- D Where tires are mounted and/or inflated on drop center wheels is a safe practice procedure posted and enforced?
- D Where tires are mounted and/or inflated on wheels with split rims and/or retainer rings is a safe practice procedure posted and enforced?
- D Does each tire inflation hose have a clip-on chuck with at least 24 inches of hose between the chuck and an in-line hand valve and gauge?
- D Does the tire inflation control valve automatically shut off the airflow when the valve is released?
- D Is a tire restraining device such as a cage, rack or other effective means used while inflating tires mounted on split rims, or rims using retainer rings?
- D Are employees strictly forbidden from taking a position directly over or in front of a tire while it's being inflated?

EMERGENCY ACTION PLAN

- D Are you required to have an emergency action plan?
- D Does the emergency action plan comply with requirements of T8CCR 3220(a)?
- D Have emergency escape procedures and routes been developed and communicated to all employees?
- D Do employees, who remain to operate critical plant operations before they evacuate, know the proper procedures?
- D Is the employee alarm system that provides a warning for emergency action recognizable and perceptible above ambient conditions?
- D Are alarm systems properly maintained and tested regularly?
- D Is the emergency action plan reviewed and revised periodically?
- D Do employees know their responsibilities:
 - D For reporting emergencies?
 - D During an emergency?
 - D For conducting rescue and medical duties?

INFECTION CONTROL

- D Are employees potentially exposed to infectious agents in body fluids?
- D Have occasions of potential occupational exposure been identified and documented?
- D Has a training and information program been provided for employees exposed to or potentially exposed to blood and/or body fluids?
- D Have infection control procedures been instituted where appropriate, such as ventilation, universal precautions, workplace practices, and personal protective equipment?
- D Are employees aware of specific workplace practices to follow when appropriate? (Hand washing, handling sharp instruments, handling of laundry, disposal of contaminated materials, reusable equipment.)

- D Is personal protective equipment provided to employees, and in all appropriate locations?
- D Is the necessary equipment (i.e. mouthpieces, resuscitation bags, and other ventilation devices) provided for administering mouth-to-mouth resuscitation on potentially infected patients?
- D Are facilities/equipment to comply with workplace practices available, such as hand-washing sinks, biohazard tags and labels, needle containers, detergents/disinfectants to clean up spills?
- D Are all equipment and environmental and working surfaces cleaned and disinfected after contact with blood or potentially infectious materials?
- D Is infectious waste placed in closable, leak proof containers, bags or puncture-resistant holders with proper labels?
- D Has medical surveillance including HBV evaluation, antibody testing and vaccination been made available to potentially exposed employees?
- D Training on universal precautions?
- D Training on personal protective equipment?
- D Training on workplace practices, which should include blood drawing, room cleaning, laundry handling, clean up of blood spills?
- D Training on needlestick exposure/management?
- D Hepatitis B vaccinations?

ERGONOMICS

- D Can the work be performed without eyestrain or glare to the employees?
- D Does the task require prolonged raising of the arms?
- D Do the neck and shoulders have to be stooped to view the task?
- D Are there pressure points on any parts of the body (wrists, forearms, back of thighs)?
- D Can the work be done using the larger muscles of the body?
- D Can the work be done without twisting or overly bending the lower back?
- D Are there sufficient rest breaks, in addition to the regular rest breaks, to relieve stress from repetitive-motion tasks?
- D Are tools, instruments and machinery shaped, positioned and handled so that tasks can be performed comfortably?
- D Are all pieces of furniture adjusted, positioned and arranged to minimize strain on all parts of the body?

VENTILATION FOR INDOOR AIR QUALITY

- D Does your HVAC system provide at least the quantity of outdoor air required by the State Building Standards Code, Title 24, Part 2 at the time the building was constructed?
- D Is the HVAC system inspected at least annually, and problems corrected?
- D Are inspection records retained for at least 5 years?

CRANE CHECKLIST

- D Are the cranes visually inspected for defective components prior to the beginning of any work shift?
- D Are all electrically operated cranes effectively grounded?
- D Is a crane preventive maintenance program established?
- D Is the load chart clearly visible to the operator?
- D Are operating controls clearly identified?
- D Is a fire extinguisher provided at the operator's station?
- D Is the rated capacity visibly marked on each crane?
- D Is an audible warning device mounted on each crane?
- D Is sufficient illumination provided for the operator to perform the work safely?
- D Are cranes of such design, that the boom could fall over backward, equipped with boomstops?
- D Does each crane have a certificate indicating that required testing and examinations have been performed?
- D Are crane inspection and maintenance records maintained and available for inspection?